







ŠIFRA	SLIKA	MODEL	OPIS	SKICA ZA SMER OTVARANJA	CENA RSD BEZ PDV-a
<b>H SISTEM</b>					
Elektronske brave ovog sistema primenjuje se za sistemsko upravljanje bravama. Kod ovog sistema neophodni su software i programator (card issuer encoder). Omogućeno je izdavanje različitih tipova ključ kartica (gost kartica, menadžer kartica, kartica za spremačice, javna kartica i sl.) sa ograničenjem trajanja.					
<b>Osnovne karakteristike</b> - Napajanje brava: 6V DC (baterijsko); Portrošnja u stanju mirovanja/rada: 10µA/150mA; Trajanje baterija: najmanje 1 godina; Idnuktivna zona: ~ 5-20mm; Broj zapisa o događajima: poslednjih 1000 otvaranja; Temperatura i vlažnost radnog okruženja: 0° do 70°C / 15-92% RV ali bez kondenzacije.					
<b>Brave sa "A" elektromehaničkim jezgrom</b>					
005354		Onlense 8209RFS Left (EM 125KHz) Onlense 8209RF-1SA Left (Mifare 13.56MHz)		A	10375,00 10750,00
005355		Onlense 8209RFS Right Onlense 8209RF-1SA Right (Mifare 13.56MHz)		B	10375,00 10750,00
006743		Onlense 8209RFS Left OUT		C	10375,00
006744		Onlense 8209RFS Right OUT		D	10375,00
<b>Brave sa "C" elektromehaničkim jezgrom</b>					
006895		Onlense 8209RFS Left Onlense 8209RF-1SC Left (Mifare 13.56MHz)		A	10375,00 10750,00
006896		Onlense 8209RFS Right Onlense 8209RF-1SC Right (Mifare 13.56MHz)		B	10375,00 10750,00
<b>Brave sa "E" elektromehaničkim jezgrom</b>					
006811		Onlense S200RFS Left		A	10375,00
006812		Onlense S200RFS Right		B	10375,00
<b>Brave sa mehaničkom rezom</b>					
006696		Onlense S200RFS single latch Left		A	8000,00
006586		Onlense S200RFS single latch Right		B	8000,00


006897  Onlense Management Software V.9.1.0 8750,00

Ovaj Software kompatibilan sa Windows 8, 9 i 10, namenjen je za programiranje brava, izdavanje različitih tipova kartica i evidenciju događaja. Omogućava 5 nivoa kontrole: opšta kontrola (celog hotela-kompleksa), kontrola objekata, spratna kontrola, oblasna kontrola i kontrola soba. Pored kontrole nivoa postoji i vremenska kontrola koja u skladu sa satom unutar brava omogućava da svaka kartica ima ograničeno vreme pristupa. Dva pristupa software-u, putem sistemske šifre i radne šifre obezbeđuju sigurnost. Sve promene unutar software-a ostaju zapisane a omogućeno je i preuzimanje podataka o događajima unutar brava (uključujući i mehaničko otključavanje). Takođe, omogućeno je i poništavanje kartice čak i ako se ona izgubi.

004980  Onlense RF NEW Encoder (EM 125KHz) 19125,00  
Onlense RF NEW Encoder (Mifare 13.56MHz) 21750,00

RF enkoder  kartica namenjen je hotelskim (H) sistemima i može se koristiti samo uz Software za upravljanje hotelom. Povezuje se na kompjuter putem USB interfejsa i kompatibilan je sa novijim verzijama Windows okruženja (8, 9, 10). Ovaj encoder obezbeđuje mogućnost unosa podataka na kartice i brisanje podataka sa kartica.

006746  Onlense RF NEW Recorder (EM 125KHz) 18875,00  
Za preuzimanje podataka iz brava "H" sa evidencijom događaja


 Onlense RF NEW Recorder S70 Card (Mifare 13.56MHz) 1250,00  
Za preuzimanje podataka iz brava "H" sa evidencijom događaja


## I SISTEM

Elektronske bave ovog sistema namenjene su za samostalnu primenu. Kod ovog sistema ne zahetva se software i programator ali nema ograničenja i evidencije za izdate ključ kartice. Pogodno za kuće, stanove, firme, i sl.


**Osnovne karakteristike** - Napajanje brava: 6V DC (baterijsko); Portrošnja u stanju mirovanja/rada: 10µA/150mA; Trajanje baterija: najmanje 1 godina; Induktivna zona: ~ 5-20mm (osim za TM brave); Temperatura i vlažnost radnog okruženja: 0° do 70°C / 15-92% RV ali bez kondenzacije.


### Brave sa "A" elektromehaničkim jezgrom

006851  Onlense 8209EMSA Left A 10625,00


006850  Onlense 8209EMSA Right B 10625,00

### Brave sa "C" elektromehaničkim jezgrom

006941  Onlense 8209EMSC Left A 10625,00

006942  Onlense 8209EMSC Right B 10625,00














### Brave sa mehaničkom rezom

006808  Onlense S200TM single latch Left A 7750,00

006807  Onlense S200TM single latch Right B 7750,00

## SKICA SA PRIKAZOM SMERA OTVARANJA VRATA



ŠIFRA	SLIKA	MODEL	OPIS	CENA RSD BEZ PDV-a
<b>Elektromehanička jezgra i mehaničke reze</b>				
004987 004986		Onlense Jezgro "A" Levo Onlense Jezgro "A" Desno		3875,00
	Evropski	standard. Kada se vrata zatvore automatski se zabrave trokraka i masivna reza te su vrata zaključana. "Leptir" na unutrašnjem poklopcu je neaktivan. Debljina vrata može da bude 35 ~ 55 mm a dubina od boka vrata ka unutrašnjosti ~ 80 mm. Elektronske brave sa A tipom jezgra su pogodnije za montažu na standardnim sobnim vratima koje na bočnoj strani imaju ispust.		
004985 004984		Onlense Jezgro "C" Levo Onlense Jezgro "C" Desno		3875,00
	ANSI	(Internacionalni) standrad. Kada se vrata zatvore automatski se zabravi samo trokraka reza. Masivna reza zaključava se ručno sa unutrašnje strane upotrebom "leptira" na unutrašnjem poklopcu. Debljina vrata može da bude 40 ~ 60mm a rastojanje od boka vrata ka unutrašnjosti ~ 105 mm. Elektronske brave sa C tipom jezgra namenjene su za montažu na vrata sa ravnim bokom.		
006810 006809		Onlense Jezgro "E" Levo Onlense Jezgro "E" Desno		3875,00
		E jezgro namanjeno je za primenu samo uz S200RFxx brave		
		Onlense single latch		2000,00
		Mehanička reza primenjiva je samo na bravama S200xx. Mehanička reza jednostavan je način zaključavanja samo sa jednom masivnom rezom. Može se primeniti za leva i desna vrata sa otvaranjem ka unutra.		
<b>Dodatna oprema i rezervni delovi</b>				
005097		Onlense RF Energy Saver (125KHz) Bezkontaktno očitavanje kartice. Ne programira se.		1750,00
006983		Onlense MF Energy Saver (13.56MHz) Bezkontaktno očitavanje kartice. Ne programira se.		2125,00
002771		Kutija OG Mimoza Kutija za ugradnju Energy Saver-a u zid		112,50
006508		YLI MBB-800B-P Mount. box (pl.) Kutija za ugradnju Energy Saver-a na zid		250,00
004982		Onlense RF T5557 NEW Card (125KHz) Kartica za RF elektronske "H" brave sa bezkontaktnim očitavanjem		275,00
		Onlense Mifare S50 Card (13.56MHz) Kartica za RF elektronske "H" brave sa bezkontaktnim očitavanjem		275,00
006745		Onlense RF T5557 NEW Card with wristband (125KHz) Kartica - narukvica sa "H" elektronske brave		355,00
004981		Onlense RF T5557 PREV Card (125KHz) za prethodne sisteme Kartica za RF elektronske "H" brave sa bezkontaktnim očitavanjem		275,00
004979		Onlense IC card za prethodne sisteme Kartica za IC elektronske brave sa kontaktnim očitavanjem		275,00
005323		Onlense RF PCB A - NEW (125KHz) Elektronika za brave "H" sistema sa elektromehaničkim A jezgrima		3250,00

005312		Onlense RF PCB C - NEW (125KHz) Elektronika za brave "H" sistema sa elektromehaničkim C jezgrima	3250,00
006040		Onlense EM PCB A (125KHz) Elektronika za brave "I" sistema sa elektromehaničkim A jezgrima	3750,00
005176		Onlense EM PCB C (125KHz) Elektronika za brave "I" sistema sa elektromehaničkim C jezgrima	3750,00
006359		Onlense Cylinder Key A core Polucilindar sa 2 ključa za brave sa A jezgrom	700,00
007365		Onlense Cylinder Key C core Polucilindar sa 2 ključa za brave sa C jezgrom	700,00
005178		Onlense Handle spring Opruga ručke za elektronske brave 8644	187,50
006038		Onlense Plastic Sensor Screen 8209 Plastični poklopac PCB-a za elektronske brave 8209	300,00
006936		Onlense Round cover for keyhole (8209) Metalni poklopac polucilindra za elektronske brave 8209	250,00
005180		Onlense Strike Spring Set - A core Unutrašnje ožičenje za A jezgra sa elektromotorom i mikroprekidačima	1250,00
007367		Onlense Strike Spring Set - C core Unutrašnje ožičenje za C jezgra sa elektromotorom i mikroprekidačima	1250,00
005875		Onlense Tinplate A Left	450,00
005876		Onlense Tinplate A Right Prihvatni lim za okvir (štok) vrata	450,00
007366		Onlense Tinplate C Prihvatni lim za okvir (štok) vrata (univerzalna strana)	450,00
<b>KABINETSKE BRAVICE</b>			
Elektronske bravice za vrata ormara i fioke, naročito su pogodne za primenu u kancelarijskim uslovima, školskim ustanovama, sportskim centrima, zdravstvenim odeljenjima i sl. Napajanje bravica je baterijsko.			
006806		Onlense 1000TS Cabinet Lock	2125,00
005830		Onlense 4000EM Cabinet Lock (125KHz)	2125,00
006083		Onlense EM Wrisband card - Blue (125KHz)	300,00
007228		Onlense EM Wrisband card - Green (125KHz)	300,00
006084		Onlense EM Wrisband card - Orange (125KHz)	300,00
005417		Onlense TM card with wristband (125KHz)	312,50
007171		Onlense TM card tag blue	100,00